
INSUTILE®

PRODUCT PRESENTATION · 2026



PRODUCT RANGE · 2026

Lightweight Construction Boards

Waterproof, insulating and tile-ready — boards, angles, shower trays, pre-tiled panels, niches and accessories for walls, floors, wet areas and roofs.

A PRODUCT BY INSUTECH

INSUTILE.COM

CONTENTS

One system, six products

Lightweight construction boards and matching accessories, with the room-by-room systems they build. All values are the manufacturing standards published on insutile.com.

INTRODUCTION

About Insutile® and Insutech 03

The Insutile® system 04

Board construction and formats 05

Thickness guide 06

The product range 07

PRODUCTS

Insutile® Build Board 08

Insutile® Flex Board 09

Insutile® Angle Board 10

Insutile® Shower Underlay 11

Insutile® Easy Board 12

Insutile® Trays and Niches 13

Insutile® Accessories 14

SOLUTIONS

Solutions by space 15

Bathroom & Wetroom Systems 16

Kitchen Tiling & Waterproofing Systems 17

Spa & Wellness Systems 18

Laundry & Utility Room Systems 19

Hotel & Commercial Systems 20

Roof & Terrace Systems 21

Specialised applications 22

REFERENCE

Technical library 23





A PRODUCT BY INSUTECH

Manufactured and tested in-house

ABOUT INSUTILE®

A construction-materials manufacturer since 1987

1987
OPERATING SINCE

105+
EXPORT COUNTRIES

5
PRODUCTION FACILITIES

500+
PROJECTS COMPLETED

Insutech has manufactured construction materials since 1987 — bitumen membranes, bituminous emulsions, XPS and EPS — across five high-capacity facilities, with in-house quality-control and R&D laboratories and exports to more than 105 countries.

Insutile® is its lightweight construction boards brand: a closed-cell, waterproof XPS core faced on both sides with mesh-reinforced cementitious mortar, ready to tile. Every board is made in-house and checked against specification before it leaves the factory.

RAW MATERIALS

Polystyrene, mortar and mesh are tested against spec before production.

BATCH CONTROL

Work-in-progress and finished boards are inspected before dispatch.

SYSTEM WARRANTY

Boards and accessories installed as one matched system are covered by Insutech's system warranty.

ISO 9001 · CE MARKED · EN 13501-1 · SYSTEM WARRANTY · INSUTILE® · BOARDS · CLADECO® · FACADES

THE INSUTILE® SYSTEM

One system for waterproof, insulated tiling

Waterproof core

≤ 0.1 % ABSORPTION

Closed-cell XPS — does not swell, rot or wick water.

λ ≤ 0.034 W/mK

THERMAL CONDUCTIVITY

Reduces heat loss through the substrate.

7× lighter

THAN CEMENT BOARD

About 3 kg per board — handled by one person.

Tile-ready


STANDARD C2 ADHESIVES

Takes porcelain and stone without priming.

COMPARED WITH CONVENTIONAL SUBSTRATES

	INSUTILE® BUILD BOARD	CEMENT BOARD	PLAIN XPS	GYPSUM BOARD
Waterproof core	✓	✗	✓	✗
Ready to tile — no priming	✓	✗	✗	✗
Thermal insulator	✓	✗	✓	✗
Lightweight	✓	✗	✓	✗
Durable	✓	✓	✗	✓
Easy to cut on site	✓	✗	✓	✓


Manufactured under an ISO 9001 quality system · CE marked · classified to EN 13501-1 for reaction to fire.



THE PRODUCT RANGE

Boards, angles, trays, panels and accessories

Flat boards, bendable panels, pre-formed angles, sloped shower bases, pre-tiled panels and the accessories supplied with them — used in place of cement board and sand-and-cement build-ups in wet areas.



ENGINEERED LAYER BY LAYER

Three layers, both faces

1 Cement layer


Polymer-modified cementitious mortar — bonds directly with all standard tile adhesives, no priming.


2 Fiberglass mesh

Alkali-resistant reinforcement embedded in the coating on both faces.

3 XPS foam core

Closed-cell extruded polystyrene — ≤ 0.1 % water absorption, ≥ 300 kPa, λ ≤ 0.034 W/mK.





TWO STANDARD FORMATS

All flat boards are 600 mm wide. **600 × 1200 mm is Insutile® Small**, **600 × 2400 mm is Insutile® Large**. Thickness, size and edge treatment can be adjusted to the project.

SMALL · 600 × 1200 | LARGE · 600 × 2400 | 4–80 MM | CUSTOM TO ORDER

TECHNICAL GUIDANCE

Which thickness for which application

Build Board is produced from 4 to 80 mm in the Small and Large formats.
Thicknesses outside the guide are made to order.

6–12.5 mm

LININGS & SURFACES

Floor levelling, wall cladding, window forming.

20–30 mm

BOXING & PANELS

Toilet boxing, bathtub panels, insulation.

40–80 mm

COUNTERS & PARTITIONS


Counters, furniture, partition walls.


APPLICATION	6	10	12.5	20	30	40	50	60	80
Floor levelling & covering	■	■	■	■	■	■	■	■	■
Wall cladding	■	■	■	■	■	■	■	■	■
Window forming	·	·	■	·	·	·	·	·	·
Toilet boxing	·	·	·	■	■	·	·	·	·
Bathtub panels	·	·	·	■	■	·	·	·	·
Counters	·	·	·	·	·	■	■	■	■
Furniture construction	·	·	·	·	·	■	■	■	■
Partition walls	·	·	·	·	·	·	■	■	■
Thermal insulation	·	·	·	■	■	■	■	■	■

■ RECOMMENDED THICKNESS · BUILD BOARD

ALL DIMENSIONS IN MILLIMETRES · 4 MM ALSO PRODUCED








PRODUCTS & ACCESSORIES


The Insutile® range

Six lightweight construction products and the accessories supplied with them, all manufactured by Insutech.




01 Insutile® Build Board

Walls, floors and wet areas




02 Insutile® Flex Board

Curves, columns and arches




03 Insutile® Angle Board

Corners and pipe boxing



04 Insutile® Shower Underlay

Pre-sloped shower trays



05 Insutile® Easy Board

Pre-tiled insulation panels



06 Insutile® Trays and Niches

Niches, shelves and seats




07 Insutile® Accessories

Fixings, tape, drains and fleece









WALLS · FLOORS · WET AREAS

01 Insutile® Build Board

The tile backer board

A rigid XPS core coated on both faces with mesh-reinforced cementitious mortar — waterproof through its thickness, thermally insulating and ready to tile. The substrate for walls, floors and wet areas, in ten thicknesses from 4 to 80 mm, with custom thicknesses to order.

λ ≤ 0.034
W/MK · INSULATING CORE

≤ 0.1 %
WATER ABSORPTION

4–80 mm
TEN THICKNESSES · CUSTOM TO ORDER

PROPERTY	VALUE
Core	Extruded polystyrene · XPS · closed-cell
Surface	Cementitious, fiberglass mesh · both faces
Water absorption	≤ 0.1 % · EN 12087
Compressive strength	≥ 300 kPa · EN 826
Thermal conductivity	λ ≤ 0.034 W/mK · ASTM C518
Reaction to fire	Class E · EN 13501-1


Formats · Insutile® Small 600 × 1200 · Insutile® Large 600 × 2400 · 4 · 6 · 10 · 12.5 · 20 · 30 · 40 · 50 · 60 · 80 mm · custom thicknesses and sizes to order

CHARACTERISTICS


- **Waterproof core**
- **≥ 300 kPa strength**
- **Direct tile adhesion**
- **Thermal insulation**
- **7× lighter than cement board**
- **Score-and-snap cutting**

APPLICATIONS

- Bathrooms & showers
- Kitchens
- Floors & walls
- Countertops
- Underfloor heating
- Renovation & retrofit







CURVES · COLUMNS · ARCHES

02 Insutile® Flex Board

The bendable board

Precision-cut slots on one face let the rigid board bend by hand around columns, arches and curved walls — down to a 200 mm radius. Fixed and adhesive-filled, it cures rigid: a waterproof, tile-ready curve with no formwork or heat forming.

R 200 mm
MINIMUM BEND RADIUS

20 mm
PITCH · 17 MM SLITS · 3 MM HINGE

Both ways
SLITS INSIDE OR OUTSIDE

PROPERTY	VALUE
Core	Extruded polystyrene · XPS · closed-cell
Surface	Cementitious, fiberglass mesh · slotted one face
Bend radius	200 mm minimum · slits inside
Water absorption	≤ 0.1 % · EN 12087
Compressive strength	≥ 300 kPa · EN 826
Thermal conductivity	λ ≤ 0.034 W/mK · ASTM C518


Formats · Insutile® Small 600 × 1200 · Insutile® Large 600 × 2400 · 20 mm · custom slit geometry to order


CHARACTERISTICS

- **Bends to a tight radius**
- **Bi-directional bending**
- **Rigid once fixed**
- **Waterproof core**
- **Bends by hand**
- **Any tile type**

APPLICATIONS

- Curved walls & partitions
- Cylindrical columns
- Arches & niches
- Rounded showers
- Spa & wellness
- Reception desks & counters







CORNERS · JUNCTIONS · PIPE BOXING

03 Insutile® Angle Board

The pre-formed angle

Factory V-scored and folded to a permanent 90° — the outer face stays continuous through the fold. One piece forms clean internal and external corners, wall-to-floor junctions and tile-ready boxing for pipes and risers, with no timber framing. In showers, a waterproofing membrane is applied over the boards and joints in most cases.

90°
FACTORY FOLD · CUSTOM ANGLES TO ORDER

20 mm
FOUR WING SIZES

Optional
PRE-APPLIED DOUBLE-SIDED TAPE

PROPERTY	VALUE
Folding angle	90° · custom to order
Core	Extruded polystyrene · XPS · closed-cell
Surface	Cementitious, fiberglass mesh · both faces
Water absorption	≤ 0.1 % · EN 12087
Compressive strength	≥ 300 kPa · EN 826
Thermal conductivity	λ ≤ 0.034 W/mK · ASTM C518


Formats · Wings 150 × 150 · 200 × 200 · 300 × 300 · 400 × 200 mm · 20 mm thick · custom sizes and angles to order


CHARACTERISTICS


- **One-step pipe boxing**
- **Sealed corner junctions**
- **Slim profile**
- **Cuts with hand tools**
- **Access-panel compatible**
- **Suited to renovation**

APPLICATIONS

- Internal room corners
- External wall angles
- Wall-to-floor junctions
- Pipe runs
- Service risers
- Bathroom & kitchen boxing







SHOWERS · WET ROOMS · STEAM ROOMS

04 Insutile® Shower Underlay

The pre-sloped shower tray

A tile-ready shower base with the fall built in at the factory — no on-site screed. Point or line drains, made to any size, slope or drain position. In most showers a waterproofing membrane is applied over the tray before tiling.

3
DRAIN POSITIONS · CENTRE · OFFSET · LINE

900–1800
TRAY SIZES · MM

Made to order
ANY SIZE, SLOPE OR DRAIN

PROPERTY	VALUE
Core	Extruded polystyrene · XPS · closed-cell
Drain types	Point or line drain · centre · offset · linear
Surface	Cementitious, fiberglass mesh · both faces
Water absorption	≤ 0.1 % · EN 12087
Compressive strength	≥ 300 kPa · EN 826
Thermal conductivity	λ ≤ 0.034 W/mK · ASTM C518


Formats · Point drain 900 × 900 to 1500 × 1500 · offset 900 × 1200 to 900 × 1800 · line drain 1000 × 1000 to 1000 × 1800 mm

CHARACTERISTICS

- **Waterproof core**
- **Holds its slope**
- **Takes foot traffic**
- **Any drain type**
- **No wet screed**
- **Cuts around drains**

APPLICATIONS

- Walk-in showers
- Steam rooms
- Spa shower areas
- Wet room floors
- Hotel bathrooms
- Level-access showers







ROOFS · WALLS · FLOORS

05 Insutile® Easy Board

The pre-tiled insulation panel

A porcelain tile factory-bonded to a precision-cut XPS board. Laying the panel lays the finish and the insulation in one step — for roofs, terraces, balconies, walls and floors, inside and out. Four standard panel sizes, four thicknesses; any tile design can be bonded to order.

4 sizes
30 × 30 TO 60 × 120 CM

20–50 mm
FOUR THICKNESSES · CUSTOM TO ORDER

2 edges
TONGUE & GROOVE · STRAIGHT CUT

PROPERTY	VALUE
Core	Extruded polystyrene · XPS · precision-cut
Facing	Porcelain tile · factory-bonded, design to order
Water absorption (core)	≤ 0.1 % · EN 12087
Compressive strength (core)	≥ 300 kPa · EN 826
Thermal conductivity (core)	λ ≤ 0.034 W/mK · ASTM C518
Service temperature	–50 °C to +75 °C · EN 13164


Formats · Panels 300 × 300 · 300 × 600 · 600 × 600 · 600 × 1200 mm · 20 · 30 · 40 · 50 mm · custom sizes, thicknesses and specifications to order


CHARACTERISTICS


- **Single-step installation**
- **Insulating core**
- **Weather-resistant**
- **Lighter than screed and tile**
- **Stays flat**
- **Any tile design**

APPLICATIONS

- Roofs & terraces
- Balconies
- Exterior walls
- Pool surrounds
- Floors
- Re-roofing







NICHES · SHELVES · SEATS

06 Insutile® Trays and Niches

Pre-formed shower components

One-piece recessed niches, corner shelves and seats built from 12.5 mm Insutile® board — the geometry is fixed at the factory, so each component drops into the wall, fixes through its flange and is tiled with the rest of the room.

7
STANDARD NICHE SIZES

12.5 mm
INSUTILE® BOARD THROUGHOUT

1 piece
PER COMPONENT · CUSTOM TO ORDER

PROPERTY	VALUE
Construction	Insutile® board · 12.5 mm · one-piece, pre-formed
Core	Extruded polystyrene · XPS · closed-cell
Surface	Cementitious, fiberglass mesh · tile-ready
Water absorption	≤ 0.1 % · EN 12087
Compressive strength	≥ 300 kPa · EN 826
Reaction to fire	Class E · EN 13501-1

Formats · Niches 400 × 200 to 1200 × 400 mm (depth 100 / 150) · corner shelf 240 × 240 × 30 · seats and benches to order

CHARACTERISTICS

- **One-piece, pre-formed**
- **Built-in fixing flange**
- **Waterproof**
- **Ready to tile**
- **Warm to the touch**
- **Custom sizes**

APPLICATIONS

- Showers & wetrooms
- Bathrooms
- Steam rooms & spas
- Hotel bathrooms
- Accessible showers
- Renovation

FIXINGS · TAPE · DRAINS · FLEECE

07 Insutile® Accessories

The items supplied with, or made for, Insutile® boards and trays



Fixing Washers & Screws

Wide-head washers in galvanised metal and plastic options, with compatible screws, for mechanical fixing without crushing the XPS core.

Used for · Fixing boards to studs, battens, and masonry.

ALL BOARDS | WASHERS WITH EVERY BOARD



Pre-Applied Double-Sided Tape

Double-sided tape factory-applied in the fold of Insutile® Angle Board — specified when ordering.

Used for · Holding the fold at the correct angle while the adhesive cures — no clamps or bracing.

ANGLE BOARD



Shower Drains · Point & Line

Point and line drains matched to the tray configuration — centre, offset, or linear placement, in standard and custom sizes.

Used for · Draining Insutile® Shower Underlay trays — specify the drain with the tray order.

SHOWER UNDERLAY



Fleece Waterproofing Layer

Waterproof fleece layers made to order for Insutile® Shower Underlay trays.

Used for · Sealing the tray surface and its transitions to surrounding walls and floors.


SHOWER UNDERLAY

SPECIAL ORDERS

For special orders, accessories can be made to the project's specification — drain formats, fleece layers, tape widths and fixing kits. Minimum quantities and lead times apply; requirements are agreed with the technical team at the time of ordering.

SUPPLIED WITH THE BOARDS

Fixing washers are supplied as standard with every board order. Double-sided tape is factory-applied to Angle Board when specified; drains and fleece layers are matched to each Shower Underlay tray.



SOLUTIONS

Systems by space

Each solution shows where the boards, trays and accessories are used in a given space, and which installation details apply. Full method statements are in the installation guides.

01 Bathrooms & Wetrooms 16


02 Kitchens 17

03 Spas & Steam Rooms 18

04 Laundry & Utility 19

05 Hotels & Commercial 20

06 Roofs & Terraces 21



BATHROOMS · WETROOMS · WALK-IN SHOWERS

01 Bathroom & Wetroom Systems

A fully waterproof, tile-ready building system for bathrooms, wetrooms and walk-in showers — Build Board, Shower Underlay, Angle Board and sealing accessories in one tested package.

01 Shower Walls
BUILD BOARD
Waterproof tile substrate behind shower tiles

02 Shower Floor
SHOWER UNDERLAY
Pre-sloped drainage base under shower tiles

03 Corners & Edges
ANGLE BOARD
Waterproof corner and junction details

04 Vanity & Splash Walls
BUILD BOARD
Tile substrate behind basins and countertops

05 Bathroom Floor
BUILD BOARD
Insulated tile substrate under floor tiles

06 Counter
BUILD BOARD & ANGLE BOARD
Waterproof substrate and sealed edges for countertops

07 Bathtub Surround
BUILD BOARD & ANGLE BOARD
Waterproof tile substrate and sealed corners around the bathtub

08 Wall-to-Floor Junction
BUILD BOARD & ANGLE BOARD
Seamless waterproof transition between walls and floors

09 Curved & Flexible Areas
FLEX BOARD & ANGLE BOARD
Flexible substrate for curved surfaces and tight spaces

10 Toilet Box
BUILD BOARD
Waterproof enclosure for concealed cisterns and pipework

IN THIS SYSTEM


Build Board
Main tile substrate for walls and floors.

Shower Underlay
Pre-sloped shower base with integrated drainage falls.

Flex Board
Bends to follow curved walls, columns, and custom panels.

Angle Board
Pre-formed corner and edge pieces for watertight junctions.

Accessories
Sealants, tapes, washers and adhesives that complete the system.



02

SPLASHBACKS · COUNTERS · FLOORS

Kitchen Tiling & Waterproofing Systems

Moisture-resistant, thermally insulating substrates purpose-built for kitchens — strong enough for stone countertops, stable enough for high-moisture areas, and tile-ready as supplied.

01 Wall Linings
BUILD BOARD
Waterproof tile substrate for kitchen walls

02 Under Floors
BUILD BOARD
Insulated waterproof substrate under kitchen floor tiles

03 Splash Walls
BUILD BOARD
Waterproof splashback substrate behind sink and cooktop

04 Countertop
BUILD BOARD & ANGLE BOARD
Waterproof substrate and sealed edges for kitchen counters

05 Around Appliances
BUILD BOARD & ANGLE BOARD
Waterproof protection around dishwashers, ovens, and fridges


IN THIS SYSTEM

Build Board
Main tile substrate for walls and floors.

Flex Board
Bends to follow curved islands, columns, and custom panels.

Angle Board
Pre-formed corner and edge pieces for watertight junctions.

Accessories
Sealants, tapes, washers and adhesives that complete the system.



STEAM ROOMS · SPAS · WELLNESS SUITES

03 Spa & Wellness Systems

Heat- and moisture-proof substrates for steam rooms, spas and wellness suites — insulated to hold heat, shaped to curves, and tile-ready on walls, floors, benches and loungers.

01 Steam Room Walls
BUILD BOARD
Waterproof, insulated walls for continuously wet rooms

02 Benches & Loungers
BUILD BOARD & ANGLE BOARD
Self-supporting tiled spa furniture

03 Curved Features
FLEX BOARD
Curved walls, columns and contoured forms

04 Spa Shower Areas
SHOWER UNDERLAY
Pre-sloped, level-access shower zones

05 Floors
BUILD BOARD
Insulated, waterproof floors throughout

06 Corners & Junctions
ANGLE BOARD & ACCESSORIES
Watertight transitions in continuously wet rooms

IN THIS SYSTEM

Build Board
Substrate for walls, floors, benches and loungers.

Shower Underlay
Pre-sloped shower zones with integrated drainage falls.

Flex Board
Bends to curved walls, columns and contoured forms.

Angle Board
Pre-formed corner and edge pieces for watertight junctions.

Accessories
Sealants, tapes, washers and adhesives that complete the system.



LAUNDRY ROOMS · UTILITY SPACES

04 Laundry & Utility Room Systems

Hard-wearing, moisture-resistant substrates for laundry and utility rooms — standing up to humidity, leaks and heavy machines, with clean tiled boxing for pipes and services.

01 Walls
BUILD BOARD
Moisture-resistant tile substrate for laundry walls

02 Floors
BUILD BOARD
A waterproof floor that shrugs off leaks

03 Pipe & Service Boxing
ANGLE BOARD
Clean tiled boxing for pipes and services

04 Worktops & Shelving
BUILD BOARD
Tiled counters and storage that handle moisture


05 Sink & Splash Zones
BUILD BOARD & ACCESSORIES
Sealed splash protection at the utility sink

IN THIS SYSTEM

Build Board
Substrate for walls, floors and worktops.

Angle Board
Pre-formed sections for pipe boxing and watertight junctions.

Accessories
Sealants, tapes, washers and adhesives that complete the system.



HOTELS · COMMERCIAL FIT-OUTS

05 Hotel & Commercial Systems

One tested bathroom system for hotels and commercial fit-outs — lightweight to handle at scale, fast to install room after room, specified once for every floor.

01 Walk-In Showers
SHOWER UNDERLAY
Level-access guest showers, room after room

02 Guest Bathroom Walls
BUILD BOARD
One wall system from the first room to the last

03 Vanities & Counters
BUILD BOARD & ANGLE BOARD
Floating vanities and stone counters

04 Curved Feature Walls
FLEX BOARD
Curves for feature walls and reception details

05 Service Risers & Boxing
ANGLE BOARD
Clean, repeatable boxing for building services

06 Floors
BUILD BOARD
Durable, insulated floors for guest areas

IN THIS SYSTEM


Build Board
Main tile substrate for walls and floors.

Shower Underlay
Level-access shower bases made to order per room type.

Flex Board
Feature curves, columns and rounded partitions.

Angle Board
Service boxing and watertight junctions.

Accessories
Sealants, tapes, washers and adhesives that complete the system.



ROOFS · TERRACES · BALCONIES

06 Roof & Terrace Systems

An insulated, finished roof and terrace build-up — Easy Board lays the tiled surface and the insulation in one step, with Build Board and Angle Board forming parapets, benches, and planters.

01 Terrace Floor
EASY BOARD
The tiled finish and the insulation in one layer

02 Parapet Walls & Upstands
BUILD BOARD
Tile-ready linings for walls and upstands

03 Built-In Benches
BUILD BOARD & ANGLE BOARD
Self-supporting tiled seating

04 Planters & Boxing
ANGLE BOARD & BUILD BOARD
Formed planter boxes and service boxing

05 Insulation Layer
EASY BOARD
The thermal layer beneath the finished surface

06 Junctions & Waterproofing
ACCESSORIES
Sealed joints, falls, and drainage details

IN THIS SYSTEM

Easy Board
Pre-tiled panels — the finished surface and the thermal layer in one.

Build Board
Parapets, upstands, benches and wall linings.


Angle Board
Planters, boxing, and sealed edges and junctions.

Flex Board
Curved planter walls and rounded terrace features.

Accessories
Membranes, tapes, drains, and sealants that complete the build-up.

SPECIALISED APPLICATIONS


The same boards, specialised build-ups



COUNTERS · TABLES · FURNISHINGS

Tiled furniture & counters

Light enough for free-standing forms, strong enough for stone finishes — Angle Board closes and seals the exposed edges.



OUTDOOR KITCHENS · GARDEN FEATURES

Exterior applications

The closed-cell core does not absorb water — a stable substrate for sheltered exterior work, specified per project.



ELECTRIC & WATER-BASED SYSTEMS

Underfloor heating


The insulating layer sends heat up into the floor finish — shorter warm-up, lower running cost. Carries electric mats and water pipes directly.



POINT & LINE DRAINS

Shower trays made to measure

Factory-formed falls to point or line drains, 900 × 900 to 1000 × 1800 mm — any size, slope or drain position to order.



TECHNICAL LIBRARY

All datasheets and technical documents are on insutile.com

Product datasheets, installation guides, the board thickness guide and the brochure are published in the Tools & Technical Library on the Insutile® website, and kept current with the manufacturing specification.

- PRODUCT DATASHEETS
- INSTALLATION GUIDES
- BOARD THICKNESS GUIDE
- PRODUCT BROCHURE
- PRODUCT PRESENTATION
- BOARD CALCULATOR

insutile.com | TOOLS & TECHNICAL LIBRARY

INSUTILE®

Lightweight construction boards, manufactured by Insutech.

INSUTILE® · INSUTECH

Plot 77 S Teseen Rd, New Cairo, Egypt
Sunday – Thursday, 9:00 – 17:00

CONTACT

+20 2 2322 8200 · WhatsApp +20 10 2758 8889
info@insutech-eg.com

ONLINE

insutile.com · insutech-eg.com
facebook · linkedin · instagram · youtube — insutechegypt

A PRODUCT BY INSUTECH

© Insutile® — Insutech. All rights reserved. Product presentation 2026. Specifications may change without prior notice.